

Lapolla FOAM-LOK™ 750

Open-cell spray foam insulation



- ▶ Greater R-Value than standard open cell
- ▶ More controllable rise



FOAM-LOK™ 750

FOAM-LOK 750 is a high performance open-cell spray foam insulation technology that is designed to achieve R-20 in wall and roof decks. This increased R-Value reduces the need for trimming, saving labor time and letting installers complete jobs more quickly and efficiently.

FOAM-LOK 750 allows installers to have more productive job site with improved spraying techniques and cohesions and to meet or exceed regional and national building code requirements. Achieve a more controllable rise and greater cohesion between lifts while eliminating air pocketing.

YOUR OPTIMAL SOLUTION FOR:

- Superior R-Value
- Improving energy efficiency
- More controlled spray
- Proven durability
- Maintaining consistent temperatures
- Excellent adhesion and cohesion
- Wide temperature range, suitable for application in any climate
- No additional ignition barrier required
- New construction and retrofit applications

PRODUCT FEATURES

- Core Density: 0.7 lb/ft³
- R-Value: R- 4 per 1”
- Can be sprayed in a wide temperature range for applications, making it suitable for any climate
- Achieve regional building codes requiring a high R-Value



ICYNENE  LAPOLLA®

15402 Vantage Parkway East, Suite 322, Houston, TX 77032 • Ph: 1-877-636-2948 • icynene-lapolla.com

Updated December 2019 • Lapolla is a registered trademark of Icynene-Lapolla.